EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2151326	bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L2	2212	324/207.25.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L3	421	L2 and (flat nut)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L4	12121	L1 and (teeth tooth) with (winding coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L5	2326	L4 and (detect$3 sens$3 transducer probe determin$5) near5 (rotat$ rotational angle revolv$3 roll$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L6	648	L5 and (rotor rotat$3 revolv$3 roll$3) with (nut flat notch$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49

L7	14752	324/207.11,207.12,207.15,207.16,207.17,207.25,160-180.ccls. 33/1PT,1N. ccls. 310/68B,168.ccls. 318/661.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L8	1191	L7 and (generat$3 driv$3 excit$5) near3 (coil winding) same (magnet pole encoder pulser multi$1pol$3) and (magnet pole encoder pulser multi$1pol $3) with (rotat$3 rotor revolv$3 roll$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L9	3225	L7 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L10	592	L8 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L11	2033	L9 and (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L12	4	"20040062459"	"5914548").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L13	157	L11 and (wireless radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49

L14	1441	L11 not L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L15	23231	bearing and (coil winding) and (wireless radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L16	748	L15 and (stator and rotor) and stator same (teeth pole)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L17	1690	(INOUE near3 MASAHIRO).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L18	226	L17 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L19	2151326	bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L20	37635	L19 and (coil winding) near3 (sens$3 detect$3 output receiv$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49

L21	4702	L20 and (rotor rotat$3 revolv$3 roll$3) with (flat nut)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L22	2212	324/207.25.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L23	421	L22 and (flat nut)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L24	12121	L19 and (teeth tooth) with (winding coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L25	2326	L24 and (detect$3 sens$3 transducer probe determin$5) near5 (rotat$3 rotational angle revolv$3 roll$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L26	648	L25 and (rotor rotat$3 revolv$3 roll$3) with (nut flat notch$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L27	646	L26 not L23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49

L28	868	384/448.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L29	102	L22 and L28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L30	495	roll$3 adj2 bearing and resolver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L31	216	L30 and (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L32	6	"5914548".URPN.	USPAT	OR	ON	2009/06/19 11:49
L33	4	"4969753" | "5121998" | "5129742" | "5183341").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/19 11:49
L34	6	"5624192".URPN.	USPAT	OR	ON	2009/06/19 11:49
L35	2	"5300882" | "5485046").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/19 11:49
L36	4	"4969753" | "5121998" | "5129742" | "5183341").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/19 11:49
L37	14752	324/207.11,207.12,207.15,207.16,207.17,207.25,160-180.ccls. 33/1PT,IN. ccls. 310/68B,168.ccls. 318/661.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49

L38	1191	L37 and (generat$3 driv$3 excit$5) near3 (coil winding) same (magnet pole encoder pulser multi$1pol$3) and (magnet pole encoder pulser multi $1pol$3) with (rotat$3 rotor revolv$3 roll$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L39	3225	L37 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L40	592	L38 and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L41	2033	L39 and (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L42	4	("20040062459" | "5914548").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L43	157	L41 and (wireless radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L44	1441	L41 not L40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49

L45	23231	bearing and (coil winding) and (wireless radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L46	748	L45 and (stator and rotor) and stator same (teeth pole)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L47	9	"5,003,259"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L48	15380	324/207.11,207.12,207.15,207.16,207.17,207.25,160-180.ccls. 33/1PT,1N. ccls. 310/68B,168.ccls. 318/661.ccls. 384/448.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L49	32	L48 and nut near3 rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L50	692	L48 and (project$4 protru$5 tooth teeth) near3 rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L51	717	L48 and bearing and stator with (pole teeth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49

L52	21	("20020130655" | "20030093188" | "20030110860" | "20040105602" | "20050174001" | "20050174011" | "20050258950" | "20070018837" | "5451869" | "5975761" | "5990676" | "6879149").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L53	7	L51 and rotor near3 nut	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L54	55373	wheel near3 bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L55	287	L54 and stator with (pole teeth tooth) and (sens$4 probe transducer detect $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L56	10	"5059900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L57	1091	(wheel hub bearing) near3 (sens$4 probe transducer detect$4) and resolver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L58	134	(wheel hub bearing) near3 (sens$4 probe transducer detect$4) and resolver near3 variable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L59	10	("3431525" | "4701651" | "4960333" | "6098469" | "6161962" | "6802208" | "6830379" | "6856061" | "6989618").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/19 11:49

L60	102921	(wheel hub bearing) near3 (sens$4 probe transducer detect$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L61	1573	L60 and (stator stationary non$1rotat$5) with (teeth tooth pole)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L62	567	L61 and (excit$5 generat$5 driv$3 source transmit$5) near3 (winding coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L63	426	L62 and (hub wheel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L64	11	"5121998"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L65	32	L48 and pitch adj circle adj diameter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 11:49
L66	4476	48 and (roll$3 bearing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 12:23

L67	1545	66 and (detect$4 sens$4 determin$5 comput$5 calculat$5 deriv$5 probe transducer resolver) with rotat$3 and (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 12:25
L68	4324	bearing and resolver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 12:26
L69	2348	68 and (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 12:26
L71	2325	(67 69) and ((nut notch$3 flat groove) same rotor (voltage current energy power) with rotat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 12:30
L73	7	384/448.ccls. and resolver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 12:47
L74	16	("4637488" | "4934729" | "5085519" | "5651588" | "5879061" | "6064931" | "6406186" | "6584399").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 12:53
L75	1585	324/173,174.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 13:38

L78	187	75 and (coil winding) and (bearing roll$3) and (teeth tooth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 13:41
L79	634	324/173.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 13:46
L80	720	324/207.17.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 13:58
L81	1690	(INOUE near3 MASAHIRO).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 14:27
L83	26	81 and (bearing rotat$3 near3 (detect$4 sens$4 probe transducer)) and (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 14:27
L86	30	(324/207.17,207.25,173.ccls. 384/448.ccls.) and (bearing and (coil winding) and rotat$3).clm.	US-PGPUB	OR	ON	2009/06/19 15:03

6/19/2009 4:04:02 PM
C:\Documents and Settings\dschindler\My Documents\EAST\Workspaces\10517895AA.wsp